

WHAT IS CLAIMED IS:

5
SAIT

1. A recording medium, comprising:

a substrate;

a recording layer overlying the substrate and
having a plurality of charge accumulating regions each
containing a first material capable of accumulating an
electric charge; and

a photoconductive layer formed on the recording
layer and having a photoconductive region containing a
second material whose conductivity is increased by
light absorption.

2. The recording medium according to claim 1,
further comprising:

a conductive layer interposed between the
substrate and the recording layer; and

an insulating layer interposed between the
conductive layer and the recording layer.

3. The recording medium according to claim 1,
wherein said recording layer further comprises at least
one electrically insulating region which electrically
insulates said plural charge accumulating regions from
each other.

4. The recording medium according to claim 3,
wherein said recording layer has a structure that said
plural charge accumulating regions and said at least
one electrically insulating region are juxtaposed to
each other overlying said substrate.

5. The recording medium according to claim 3,
wherein said recording layer has a dispersing medium
and said plural charge accumulating regions dispersed
in said dispersing medium and said at least one
5 electrically insulating region constitutes at least a
part of said dispersing medium.

6. The recording medium according to claim 3,
wherein said recording layer has an insulating layer
having a plurality of recessed portions on the surface
10 thereof as said at least one electrically insulating
region and has a structure that said recessed portions
are filled with said plural charge accumulating regions.

7. The recording medium according to claim 1,
wherein said second material is a material whose
15 conductivity is non-linearly changed in accordance with
intensity of light irradiating said second material.

8. A recording medium, comprising:
a substrate;
a conductive layer overlying the substrate;
20 a photoconductive layer overlying the conductive
layer and containing a second material whose
conductivity is increased by light absorption; and
a recording layer formed on the photoconductive
layer and having a plurality of charge accumulating
25 regions each containing a first material capable of
accumulating an electric charge.

9. The recording medium according to claim 8,

further comprising an electrically insulating region which electrically insulates said plural charge accumulating regions from each other.

5 10. The recording medium according to claim 8, wherein said second material is a material whose conductivity is non-linearly changed in accordance with intensity of light irradiating said second material.

10 11. A recording medium, comprising:
 a substrate; and
 a recording layer overlying the substrate and having a plurality of charge accumulating regions each containing a first material capable of accumulating an electric charge and a photoconductive region containing a second material whose conductivity is increased by
15 light absorption.

 12. The recording medium according to claim 11, further comprising:
 a conductive layer interposed between said substrate and said recording layer; and
20 an insulating layer interposed between said conductive layer and said recording layer.

 13. The recording medium according to claim 11, wherein said second material is a material whose conductivity is non-linearly changed in accordance with
25 intensity of light irradiating said second material.

 14. A recording apparatus, comprising:
 a recording medium comprising a substrate and a

recording layer overlying the substrate and having a plurality of charge accumulating regions each containing a first material capable of accumulating an electric charge, said recording layer further comprising a photoconductive region containing a second material whose conductivity is increased by light absorption or said recording medium further comprising a photoconductive layer in contact with the recording layer and having the photoconductive region; and

a recording head arranged to face the main surface of said recording medium and comprising a light emitting section emitting light toward the recording layer and an electrode being adjacent to said light emitting section and utilized in injecting an electric charge into at least one of said plural charge accumulating regions.

15. The recording apparatus according to claim 14, wherein said light emitting section emits a near field light as said light.

16. The recording apparatus according to claim 14, further comprising a reproducing head arranged to face said recording medium and reading information corresponding to the amount of charge accumulated in said plural charge accumulating regions.

17. The recording apparatus according to claim 14, wherein said recording medium has a laminate structure of said recording layer overlying said substrate and

said photoconductive layer formed on the recording layer.

18. The recording apparatus according to claim 14, wherein said recording medium further comprises a
5 conductive layer and has a structure that said conductive layer overlying said substrate, said photoconductive layer is formed on said conductive layer, and said recording layer is formed on said photoconductive layer.

10 19. The recording apparatus according to claim 17, wherein said recording medium further comprises:

a conductive layer interposed between the substrate and the recording layer; and

15 an insulating layer interposed between the conductive layer and the recording layer.

20. A recording method of recording information by injecting an electric charge into a charge accumulating region containing a first material capable of accumulating the charge, comprising the steps of:

20 irradiating a photoconductive region arranged in contact with said charge accumulating region and containing a second material whose conductivity is increased by light absorption with light; and

25 injecting an electric charge into said charge accumulating region via a portion of the photoconductive region irradiated with light.